Journal of Immunological Methods, 162 (1993) 281–282
Elsevier Science Publishers B.V.

Contents to volume 162 (1993)

Number 1 – 4 June 1993

Research reports

A rapid and simple microfluorometric phagocytosis assay
C.P. Wan, C.S. Park and B.H.S. Lau (USA) 1

Measurement of murine ovalbumin-specific IgE by a rat basophil leukemia cell serotonin release assay. Comparison to the rat passive cutaneous anaphylaxis assay
T.T. Kawabata and L.S. Babcock (USA) 9

New flow cytometric method for surface phenotyping basophils from peripheral blood
K. Takahashi, M. Takata, T. Suwaki, N. Kawata, Y. Tanimoto, R. Soda and I. Kimura (Japan) 17

Highly sensitive fluorimetric enzyme immunoassay for prostaglandin H synthase solubilized from cultured cells
K.-H. Ruan, R.J. Kulmacz, A. Wilson and K.K. Wu (USA) 23

Detection of anti-pituitary autoantibodies by immunoblotting
P. Crock, M. Salvi, A. Miller, J. Wall and H. Guyda (Canada) 31

Measurement of cell numbers in microtiter culture plates using the fluorescent dye Hoechst 33258
E. Papadimitriou and P.I. Lelkes (USA) 41

Immunoassay reagents for psychoactive drugs. I. The method for the development of antibodies specific to amitriptyline and nortriptyline
M. Adamczyk, J. Fishpaugh, C. Harrington, D. Hartter, D. Johnson and A. Vanderbilt (USA) 47

Production of conformation-specific monoclonal antibodies against α_2 macroglobulin and their use for quantitation of total and transformed α_2 macroglobulin in human blood
G. Birkenmeier and T. Stigbrand (Germany, Sweden) 59

Fast immunopurification of small amounts of specific antibodies on peptides bound to ELISA plates
K. Brahimi, J.-L. Pérignon, M. Bossus, H. Gras, A. Tartar and P. Druilhe (France) 69

Quantitation of monoclonal antibodies by ELISA. The use of purified mouse IgG and mouse IgM monoclonal antibodies as standards in a quantitative ELISA measuring monoclonal antibodies produced by cell culture
R.E. Mushens, A.R. Guest and M.L. Scott (UK) 77

Immunologic detection and measurement of glycated apolipoprotein B with site specific monoclonal antibodies
E.A. Shea and M.P. Cohen (USA) 85

Dynamic thermographic imaging for estimation of regional perfusion in the tuberculin reaction in healthy adults
N.C. Abbot, J. Swanson Beck, D.K. Harrison and S.B. Wilson (UK) 97

A simple method for negative and positive selection of murine and human IgM-bearing lymphocytes based on the use of antibody-coated silica microparticles
M. Seeger, C. Sepúlveda, P. Vallejos, J.C. Aguillón and A. Ferreira (Chile) 109

Abdominal wall thickness as a means of assessing peritoneal fibrosis in mice
M.R. Frazier-Jessen and E.J. Kovacs (USA) 115

Bispecific receptor globulins, novel tools for the study of cellular interactions. Preparation and characterization of an E-selectin/P-selectin bispecific receptor globulin
M.T. Dietsch, V.F. Smith, W.L. Cosand, N.K. Damle, J.A. Ledbetter, P.S. Linsley and A. Aruffo (USA) 123

Simple method for the preparation of antigen emulsions for immunization
C. Moncada, V. Torres and Y. Israel (Canada) 133

Notes to authors 141

Number 2 – 18 June

Research reports

Assessment of lymphokine profiles in activated lymphocytes by semiquantitative PCR
I. Kramnik, E. Skamene and D. Radzioch (Canada) 143

Production and purification of Fab′ fragments from chicken egg yolk immunoglobulin Y (IgY)
E.M. Akita and S. Nakai (Canada) 155

Calculation of the affinity constant K_{ASS} for solid phase antigen. A model system using monoclonal antibodies against the cat allergen *Fel d* I
F.J. Van Milligen, L. Van Etten and R.C. Aalberse (Netherlands) 165
Assay of the polyamine spermine by a monoclonal antibody-based ELISA
I. Garthwaite, A.D. Stead and C.C. Rider (UK) 175
Enzyme immunometric assay for endothelin using tandem monoclonal antibodies
C. Créminon, Y. Frobert, A. Habib, J. Maclouf, C. Patrono, P. Pradelles and J. Grassi (France, Italy) 179
Enzyme-linked immunosorbent assays for plasminogen activators
F. Buessecker, J. Reinartz, U. Schirmer and M.D. Kramer (Germany) 193
Separation of different molecular forms of mouse IgA and IgM monoclonal antibodies by high-performance liquid chromatography on spherical hydroxyapatite beads
K. Aoyama and J. Chiba (Japan) 201
Detection of in vivo expression of interleukin-10 using a semi-quantitative polymerase chain reaction method in *Schistosoma mansoni* infected mice
E. Murphy, S. Hieny, A. Sher and A. O'Garra (USA) 211
Immunoanalysis and quantitation of membrane sialoglycoproteins (glycophorins) in rat erythrocytes and reticulocytes
A. Herráez, J.C. Díez and J. Luque (Spain) 225
An enzyme immunoassay for carcinoembryonic antigen (CEA) with homogeneous reactivity to different CEA preparations and low cross-reactivity with CEA-related normal antigens
H. Nagasaki, S. Watanabe, M. Kuroki, Y. Matsumoto, M. Murakami, N. Omoda, N. Kondo, H. Jinnai, H. Takaoka and Y. Matsuoka (Japan) 235
A competitive inhibition ELISA for the quantification of human interferon-γ
A.B. Wilson, S.M. McHugh, J. Deighton, P.W. Ewan and P.J. Lachmann (UK) 247

Short communications
Immunopotentiation of synthetic oligopeptides by chemical conjugation to iscoms
M. Larsson, K. Lövgren and B. Morein (Sweden) 257
Further characterization of the neutrophil oxidative burst by flow cytometry
J.A. Smith and M.J. Weidemann (Australia) 261
Binding of phycoerythrin and its conjugates to murine low affinity receptors for immunoglobulin G
F. Takizawa, J.-P. Kinet and M. Adamczewski (USA) 269

Letter to the editors
Troubleshooting of reduced immobilized immunoreactivity on plastic beads prewashed with detergents
P.E. Tyllianakis, S.E. Kakabakos, G.P. Evangelatos and D.S. Ithakissios (Greece) 273

Corrigendum
Protein growth factor(s) from C6 glioma cells. (JIM 154 (1992) 269–270)
S.K. Sharma (India) 275

Book reviews 277

Announcement 279

Contents to volume 162 (1993) 281

Notes to authors 283